



1/3

SEQUENCE LISTING

<110> Hammond, Philip W.
Lipovsek, Dasa

<120> METHODS FOR PRODUCING NUCLEIC ACIDS
LACKING 3'-UNTRANSLATED REGIONS AND OPTIMIZING CELLULAR
RNA-PROTEIN FUSION FORMATION

<130> COTH-P03-504

<140> US 10/646,985

<141> 2003-08-21

<150> US 09/910,518

<151> 2001-07-20

<150> US 09/374,962

<151> 1999-08-16

<150> US 60/096,818

<151> 1998-08-17

<160> 8

<170> FastSEQ for Windows Version 4.0

<210> 1

<211> 27

<212> DNA

<213> Unknown

<220>

<223> oligonucleotide primer

<220>

<221> misc feature

<222> 19, 20, 21, 22, 23, 24

<223> n = A,T,C or G

<400> 1

gcttgctgga gtgcgagtnn nnnncta

27

<210> 2

<211> 27

<212> DNA

<213> Unknown

<220>

<223> oligonucleotide primer

<220>

<221> misc feature

<222> 19, 20, 21, 22, 23, 24

<223> n = A,T,C or G

<400> 2

gcttgctgga gtgcgagtnn nnnntta

27

<210> 3
 <211> 27
 <212> DNA
 <213> Unknown

<220>
 <223> oligonucleotide primer

<220>
 <221> misc_feature
 <222> 19, 20, 21, 22, 23, 24
 <223> n = A,T,C or G

<400> 3
 gcttgctgga gtgcgagtnn nnnntca

27

<210> 4
 <211> 28
 <212> DNA
 <213> Unknown

<220>
 <223> oligonucleotide primer

<220>
 <221> misc_feature
 <222> 27
 <223> h= A,C or T

<220>
 <221> misc_feature
 <222> 28
 <223> n = A,T,C or G

<400> 4
 taatacgact cactataggg ggggggghn

28

<210> 5
 <211> 44
 <212> DNA
 <213> Unknown

<220>
 <223> oligonucleotide primer

<220>
 <221> misc_feature
 <222> 36, 37, 38, 39, 40, 41, 42, 43, 44
 <223> n = A,T,C or G

<400> 5
 gccttatcgt catcgctcctt gtagtcgaaa ctagannnnn nnnn

44

<210> 6
 <211> 36
 <212> DNA
 <213> Unknown

<220>

<223> oligonucleotide primer

<220>

<221> misc_feature

<222> 28, 29, 30, 31, 32, 33, 34, 35, 36

<223> n = A,T,C or G

<400> 6

ggacaattac tattttacaat tacaatgnnn nnnnnn

36

<210> 7

<211> 39

<212> DNA

<213> Unknown

<220>

<223> oligonucleotide primer

<400> 7

taatacgact cactataggg acaattacta tttacaatt

39

<210> 8

<211> 33

<212> DNA

<213> Unknown

<220>

<223> oligonucleotide primer

<400> 8

agaagatgcg cgatcgatcat cgtccttgta gtc

33